

West Tellus

The West Tellus is a 7th generation ultra-deepwater dual activity drillship with operational history in Brazil.



GENERAL (U.S.)	
Built	2013 Samsung, South Korea
Design	Samsung 12,000
Flag/Class	Panama / ABS
Dimensions	748 ft x 137 ft
Draft	27.9 ft (transit) 39.4 ft (operating)
Displacement	96,500 st (at loadline)
Variable Load	18,150 st (transit) 22,000 st (drilling)
Accommodations	200
Helideck	Sikorsky S92 & MIL-Mi-8, 14.3 st
Max. Water Depth	12,000 ft design
Max. Drilling Depth	37,500 ft
STATION KEEPING	
Dynamic Positioning	DPS-3
Thrusters	6 x Rolls Royce 6,000 hp
Transit Speed	Up to 11.5 kn
Mooring Lines	Harbour mooring only
Mooring Winches	Harbour mooring only
STORAGE CAPACITIES	
Fuel	37,000 bbl
Drill Water	15,000 bbl
Potable Water	8,900 bbl
Active Liquid Mud	6,400 bbl
Reserve Liquid Mud	6,050 bbl
Bulk Bentonite / Barite	15,900 ft ³
Bulk Cement	15,900 ft ³

DRILLING PACKAGE	
Derrick	1 x 1,000 st + 1 x 1,250 st
Top Drive	NOV HPS-1000 + TDX 1250
Drawworks	5,750 hp1,000 st + 6,900 hp 1,250 st
Rotary Table	NOV RST 60.5 in + 75.5 in
Compensator	NOV CMC 1,000 st + 1,250 st
Tubular Handling	2 x NOV Hydraracker IV
Mud Pumps	4 x NOV 14-P-220 2,200 hp
HP Mud System	7,500 psi
Shale Shakers	6 x NOV Brandt VSM 300
SUBSEA EQUIPMENT	
ВОР	NOV NXT 7 ram 15,000 psi 18-3/4 in
Annular	2 x NOV SBOP 10,000 psi 18-3/4 in
Diverter	NOV Shaffer 21-1/4 in
Wellhead Connector	Cameron EVO H4 18-3/4 in
Riser	NOV Shaffer FT-H 90 ft
MPD	Weatherford / AF Global
Tensioners	8 x NOV dual wire 1,800 st
CRANES	
Primary Cranes	4 x NOV Hydralift 93.5 st
X-mas Tree Crane	Primary Crane
POWER	
Main Engines	6 x MAN 10,500 hp
Main Generators	6 x ABB 9,200 hp
Emergency Power	1 x MTU 2,100 hp



West Tellus

The West Tellus is a 7th generation ultra-deepwater dual activity drillship with operational history in Brazil.




GENERAL (METRIC)	
Built	2013 Samsung, South Korea
Design	Samsung 12,000
Flag/Class	Panama / ABS
Dimensions	228 m x 42 m
Draft	8.5 m (transit) 12 m (operating)
Displacement	87,700 mt (at loadline)
Variable Load	16,500 mt (transit) 20,000 mt (drilling)
Accommodations	200
Helideck	Sikorsky S92 & MIL-Mi-8, 13 mt
Max. Water Depth	3,600 m design
Max. Drilling Depth	11,400 m
STATION KEEPING	
Dominio Basilia de	BB0 0
Dynamic Positioning	DPS-3
Dynamic Positioning Thrusters	6 x Rolls Royce 4,560 kW
Thrusters	6 x Rolls Royce 4,560 kW
Thrusters Transit Speed	6 x Rolls Royce 4,560 kW Up to 5.6 m/s
Thrusters Transit Speed Mooring Lines	6 x Rolls Royce 4,560 kW Up to 5.6 m/s Harbour mooring only
Thrusters Transit Speed Mooring Lines Mooring Winches	6 x Rolls Royce 4,560 kW Up to 5.6 m/s Harbour mooring only
Thrusters Transit Speed Mooring Lines Mooring Winches STORAGE CAPACITIES	6 x Rolls Royce 4,560 kW Up to 5.6 m/s Harbour mooring only Harbour mooring only
Thrusters Transit Speed Mooring Lines Mooring Winches STORAGE CAPACITIES Fuel	6 x Rolls Royce 4,560 kW Up to 5.6 m/s Harbour mooring only Harbour mooring only 5,800 m ³
Thrusters Transit Speed Mooring Lines Mooring Winches STORAGE CAPACITIES Fuel Drill Water	6 x Rolls Royce 4,560 kW Up to 5.6 m/s Harbour mooring only Harbour mooring only 5,800 m ³ 2,300 m ³
Thrusters Transit Speed Mooring Lines Mooring Winches STORAGE CAPACITIES Fuel Drill Water Potable Water	6 x Rolls Royce 4,560 kW Up to 5.6 m/s Harbour mooring only Harbour mooring only 5,800 m³ 2,300 m³ 1,400 m³
Thrusters Transit Speed Mooring Lines Mooring Winches STORAGE CAPACITIES Fuel Drill Water Potable Water Active Liquid Mud	6 x Rolls Royce 4,560 kW Up to 5.6 m/s Harbour mooring only Harbour mooring only 5,800 m³ 2,300 m³ 1,400 m³ 1,000 m³

Derrick	1 x 907 mt + 1 x 1,130 mt
	1 X 307 IIII + 1 X 1,130 IIII
Top Drive	NOV HPS-1000 + TDX 1250
Drawworks	4,370kW 907 mt + 5,200kW 1,130 mt
Rotary Table	NOV RST 1.5 m + 1.9 m
Compensator	NOV CMC 907 mt + 1,130 mt
Tubular Handling	2 x NOV Hydraracker IV
Mud Pumps	4 x NOV 14-P-220 1,640 kW
HP Mud System	517 bar
Shale Shakers	6 x NOV Brandt VSM 300
SUBSEA EQUIPMENT	
ВОР	NOV NXT 7 ram 1,034 bar 47.6 cm
Annular	2 x NOV SBOP 690 bar 47.6 cm
Diverter	NOV Shaffer 54 cm
Wellhead Connector	Cameron EVO H4 47.6 cm
Riser	NOV Shaffer FT-H 27.5 m
MPD	Weatherford / AF Global
Tensioners	8 x NOV dual wire 1,630 mt
CRANES	
Primary Cranes	4 x NOV Hydralift 85 mt
X-mas Tree Crane	Primary Crane
POWER	
Main Engines	6 x MAN 8,000 kW
Main Generators	6 x ABB 6,900 kW
Emergency Power	1 x MTU 1,600 kW



West Tellus - Side View



West Tellus - Top View

